

2025 CAT 35208FG TRACK EXCAVATORS

INSPECTION DETAILS

Inspection Type	Marketing
Inspection Form	Standard
Inspection #	10232990
Inspection Status	Completed
Created	09/22/25 11:00:47
Updated	09/24/25 11:29:32
Created By	Preskitt, Billy
Inspector	Preskitt, Billy
Reviewers	Preskitt, Billy
Salesperson	Schultis, Derrick R.
Stock #	E601929
Serial #	KXH30097
SMU / Hours	465
Location	Eloy, AZ, United States



FEATURES

General




- **Air Conditioner**
- **Auxiliary Hydraulics Pressure - High Pressure**
- **Boom - 1 Piece**
- **Boom Check Valve**
- **Coupler - Quick**
- **Coupler Type - Hydraulic**
- **Engine Enclosures**
- **Hand and Foot Control**
- **Lighting**
- **Mirrors**
- **Radio - AM FM Radio**
- **RADIO MODULE, PL243 CELLULAR**
- **Stick**
- **Stick Check Valve**
- **Straight Travel Pedal**

Regulatory

- **Emissions Level - EPA - EPA TIER 4f**
- **Emissions Level - Japan - STEP 4 FINAL**
- **Ultra Low Sulfur Diesel Fuel**

Technology

- **Grading System - 2D**

CONDITION Good Fair Poor**Approved Repair****GENERAL CONDITION**Body
Frame
General
ET Product Status Report
Download
YESLogged / Active Codes
NOMachine Starts and is Operable
YESVisible Oil Leaks
NO**GENERAL APPEARANCE**Bumper
Car Body
Catwalk
Counterweight
Crankcase Guard / Battery Box
Decals
Draw Bar
Eng. Enclose Hood / Stack
Engine Doors
Fenders
Fuel Tank
Grab Irons
Hood
Main Frame Welds
Paint
Plastic
Radiator Grill & Shroud
Sheet Metal
Steps / Ladder


Cleaning Required
NO

Extra Fuel Tanks
NO

SAFETY ITEMS

Camera(s)


 1 Horn


Seat Belt / Date

03/25

Secondary Exit


Travel Alarm


ROPS
YES

ROPS Certification Plate
YES

 Safety Decals In Place
YES

Safety Decals Legible
YES

OPERATOR STATION

Air Conditioner


Ambient temp at 81.9° and vent temp
at 46.4°

 1 Armrests


Cab Filter / Heat Vent Louvres


Dash Console


Door Latches / Hinges / Seals


Floor Boards / Mats


Gauges


Headliner


Heater / Defroster




Ambient temp at 83.3° and vent temp
at 102.7°

Hour Meter - GAUGES,
OPERATION STATION, CONSOLE


Hydraulic Controls


Interior Lights




Interior Plastic / Fabric


Mirrors


Monitoring Display


Pans/Guards


Radio


Seat Cushions / Suspension /
Type


Switches



Travel Controls (Type)



Visor / Sunshade



Windows



Windshield Wipers



Current O&MM



YES

Current Parts Manual

NO

Current Safety Manual



YES

ENGINE

Belts / Pulleys - ENGINE



Engine Oil Level / Condition



Engine Supports / Mounts



Exhaust / Muffler / Stack



Fuel Injection System



Intake / Air Filters



Operating Condition - ENGINE



Turbocharger / Blower



Blow By

NO

Emissions Decal Legible

YES



Fuel Leaks

NO

Knocking

NO

Oil Leaks

NO

Pre Lube System

NO

Water in Oil

NO

Oil Pressure (H/L/N)

Normal

Smoke Color (B/D/L/W)

Normal

EMISSIONS

Aftertreatment Heat Shields /

Guards



DEF Lines / Wiring



Diesel Exhaust Fluid (DEF) Tank



Diesel Particulate Filter (DPF)
Condition / Service Hours



Aftertreatment System Codes
NO

Leaks / Type
NO

COOLING SYSTEM

Anti-Freeze Level / Color /
Condition

Red

Coolers

Fan

Fan Shrouds / Guards

Hoses / Tubes

Radiator

Water Pump

Compression in Radiator
NO

Coolant Leaks
NO

Oil in Anti-Freeze
NO

Standard Radiator
YES

ELECTRICAL, STARTING AND CHARGING SYSTEM

Alternator

Batteries / Cables / Master
Disconnect

Lighting

Starter

Wiring

Block Heater
NO

Ether Aid
NO

HYDRAULICS

Boom Cylinder

Bucket Cylinder

Control Linkage

Hose Lines



Hydraulic Swivel



Operating Condition - HYDRAULICS



Pump Drive



Pumps & Valves



Rotex



Stick Cylinder



Swing Gear



Swing Motors



Tank



Travel Motors



BOOM

Boom Condition



Boom Pins



Pins & Bushings - BOOM



Boom Length (Actual Length)

22' 8"

STICK

Pins & Bushings - STICK



Stick Conditions



Stick Pins



Stick Length

12' 10"

BUCKET

Notes - BUCKET

Machine came with no bucket

UNDERCARRIAGE

	Measurement (L)	% Worn (L)	Total Potential Hours (L)	Measurement (R)	% Worn (R)	Total Potential Hours (R)
Carrier Rollers Front	7.2	1		7.2	1	

Carrier Rollers Rear	7.2	1	7.2	1
Idlers Front	0.80	4	N/A	
Idlers Rear	0.80	4	N/A	
Links	5.14	3	5.14	3
Pins & Bushings (External)	2.90	1	2.90	1
Track Roller 1	0.80	5	0.80	5
Track Roller 10
Track Roller 11
Track Roller 12
Track Roller 2	0.80	5	0.80	5
Track Roller 4	0.80	5	0.80	5
Track Roller 6	0.80	5	0.80	5
Track Roller 8	0.80	5	0.80	5
Track Roller 9	0.80	5	0.8	5
Track Shoe Grouser Height	1.32	4	1.30	6

Track Frame - Left


Track Frame - Right


Cannon
Good

Segments
Good

Track Shoes Width / Type
TRACK, 35" TG, PPR2 (FG)

FINAL DRIVES

Housings, Left



Housings, Right



Planetaries / Differential, Left



Planetaries / Differential, Right



Magnetic Plugs Removed &

Checked?

NO

MARKETING PHOTOS (32)











