



2023 CAT 325-07 P TRACK EXCAVATORS

INSPECTION DETAILS

Inspection Type	Marketing
Inspection Form	Standard
Inspection #	10267725
Inspection Status	Completed
Created	02/02/26 13:21:52
Updated	02/04/26 12:49:24
Created By	Garcia, Jr
Inspector	Garcia, Jr
Reviewers	Garcia, Jr
Salesperson	Schultis, Derrick R.
Stock #	E196739
Serial #	TEL30150
SMU / Hours	1,809
Location	Eloy, AZ 85131, United States



FEATURES

General

- Air Conditioner
- Auxiliary Hydraulics Pressure - High Pressure
- BOOM LENGTH: 18'8"
- BUCKET SIZE: 48"
- Coupler - Quick
- Coupler Type - Hydraulic
- Enclosed Cab
- Engine Enclosures
- Lighting
- Mirrors
- Radio
- STICK LENGTH: 9'6"
- Straight Travel Pedal

Regulatory

- Emissions Level - EPA - EPA TIER 4f
- Emissions Level - EU - EU STAGE V
- Emissions Level - Japan - STEP 4 FINAL
- Regulatory Status - CAT_Korea
- Regulatory Status - CAT_NR_EPA/CARB_MLIT_R120_EU_China Export
- Ultra Low Sulfur Diesel Fuel

Attachments

- Bucket

CONDITION

●●● Good

●● Fair

● Poor

Approved Repair

GENERAL CONDITION

Body



Frame



General



ET Product Status Report
Download
YES

Logged / Active Codes
NO

Machine Starts and is Operable
YES

Visible Oil Leaks
NO

GENERAL APPEARANCE

Bumper



Car Body



Counterweight



Crankcase Guard / Battery Box



Decals



Draw Bar



Eng. Enclose Hood / Stack



Engine Doors



Fenders



Fuel Tank



Grab Irons



Hood



Main Frame Welds



Paint



Pre-Cleaner Bowl



Radiator Grill & Shroud



Sheet Metal



Steps / Ladder



SAFETY ITEMS

Camera(s)



Horn



Seat Belt / Date



2/23



Travel Alarm



ROPS
YES

ROPS Certification Plate
YES

Safety Decals In Place
YES

Safety Decals Legible
YES

OPERATOR STATION

Air Conditioner



Vent temperature 39° Ambient temperature 73°



Armrests



Cab Filter / Heat Vent Louvres



Dash Console



Door Latches / Hinges / Seals



Floor Boards / Mats



Gauges



Headliner



Heater / Defroster



Vent temperature 123° Ambient temperature 81°

Hour Meter - GAUGES,
OPERATION STATION, CONSOLE



1806 hours



Hydraulic Controls



Interior Lights



Interior Plastic / Fabric



Mirrors



Monitoring Display



Radio



Seat Cushions / Suspension /
Type



Air



Switches



Travel Controls (Type)



Windows



Windshield Wipers



Current O&MM
YES



Current Safety Manual
YES



Sound Proofing
YES

Diesel Exhaust Fluid (DEF) Level - OPERATOR STATION
99%

Fuel Level - OPERATOR STATION
75%

ENGINE

Belts / Pulleys - ENGINE
●●●

Engine Oil Level / Condition
●●●

Engine Supports / Mounts
●●●

Exhaust / Muffler / Stack
●●●

Fuel Injection System
●●●

Governor
●●●

Intake / Air Filters
●●●

Operating Condition - ENGINE
●●●

Turbocharger / Blower
●●●

Apparent Other Engine Damage
NO

Blow By
NO

Emissions Decal Legible
NO

Fuel Leaks
NO

Has Engine been rebuilt?
NO

Knocking
NO

Oil Leaks
NO

Pre Lube System
NO

Service Needed
NO

Water in Oil
NO

Engine S/N
2K705652

Oil Pressure (H/L/N)
Normal

Smoke Color (B/D/L/W)
Normal

EMISSIONS

Aftertreatment Heat Shields / Guards
●●●

DEF Lines / Wiring
●●●

Diesel Exhaust Fluid (DEF) Tank
●●●

Diesel Particulate Filter (DPF)
Condition / Service Hours
●●●

Aftertreatment System Codes
NO

Leaks / Type
NO

COOLING SYSTEM

Anti-Freeze Level / Color /
Condition

Red

Belts / Pulleys - COOLING
SYSTEM


Coolers


Fan


Fan Drive / Type


Fan Shrouds / Guards


Hoses / Tubes


Radiator


Water Pump


Compression in Radiator
NO

Coolant Leaks
NO

Oil in Anti-Freeze
NO

Standard Radiator
YES



ELECTRICAL, STARTING AND CHARGING SYSTEM

Alternator


Batteries / Cables / Master
Disconnect


Beacon


Lighting


Pre-Heater


Starter


Wiring


Ether Aid
YES
With canister

HYDRAULICS

Boom Cylinder




Bucket Cylinder


Control Linkage


Hose Lines
●●●

Hydraulic Swivel
●●●

Operating Condition -
HYDRAULICS
●●●

Pump Drive
●●●

Pumps & Valves
●●●

📷1 Rotex
●●●

Stick Cylinder
●●●

Swing Gear
●●●

Swing Motors
●●●

Tank
●●●

Travel Motors
●●●

TECHNOLOGY

Boom Sensor
●●●

📷1 Grade Display
●●●

📷1 Stick Sensor
●●●



Tilt / Bucket Sensor Harness
●●●



BOOM

Boom Condition
●●●

Boom Pins
●●●

Pins & Bushings - BOOM
●●●

Boom Length (Actual Length)
18'8"

STICK

Pins & Bushings - STICK
●●●

Stick Conditions
●●●

📷4 Stick Pins
●●●

Stick Length
9'6"

BUCKET

Bucket Bottom
●●●

📷2 Bucket Linkage
●●●

Bucket Mounts
●●●

Bucket Sides
●●●

📷2 Teeth / Adapters
●●●

📷1

Quick Coupler
YES

📷4

Brand
Cat

Quick Coupler (Make/Model)
Cat

Serial Number
MHC13333

📷1

Width
48"

UNDERCARRIAGE

	Measurement (L)	% Worn (L)	Total Potential Hours (L)	Measurement (R)	% Worn (R)	Total Potential Hours (R)
Carrier Rollers Front	4.68	6		4.68	6	
Carrier Rollers Rear	4.68	6		4.68	6	
Idlers Front	.76	8		.76	8	
Links	4.12	23		4.12	23	
Pins & Bushings (External)	2.38	7		2.38	7	
Track Roller 2	.70	3		.70	3	
Track Shoe Grouser Height	1.02	10		1.02	10	

Track Frame - Left
●●●

Track Frame - Right
●●●

Pins & Bushings Turned?
NO

Cannon
Good

Carrier Rollers
Good

Idlers
Good

Link Part Number
5266459

Links
Good

Pins & Bushings (External)
Good

Pins & Bushings (Internal)
Good

Segments
Good

Track Shoes Width / Type
31"

FINAL DRIVES

Housings, Left


Housings, Right


Planetaries / Differential, Left


Planetaries / Differential, Right


MARKETING PHOTOS (31)











